

### **AIDS-Defining Conditions**

Together, we can change the course of the HIV epidemic...one woman at a time.

#onewomanatatime

#thewellproject



#### What Is AIDS?

AIDS stands for

**A**cquired

**I**mmune

**D**eficiency

Syndrome.

AIDS is the advanced stage of HIV.





# What Is an AIDS Diagnosis?

- CDC defines a person as having AIDS if (s)he is living with HIV and has a CD4 cell count of 200 or less
  - CDC has list of opportunistic infections (OIs), cancers, conditions considered AIDS-defining conditions (see slides 6 and 7)
  - If you are living with HIV and have 1 or more of these conditions, you have a diagnosis of AIDS, no matter your CD4 count or how it changes
    - This does not necessarily mean you are sick or will get sick in the future
    - People with an AIDS diagnosis can rebuild their immune systems, live long, healthy lives



#### Stage 3 HIV

- AIDS is also sometimes referred to as stage 3 HIV
- CDC defines and uses "stages" of HIV
  - To keep track of the # of HIV cases in US
  - To plan for prevention and care on a population level
- WHO uses similar staging system, set of definitions
  - WHO refers to AIDS as "severe HIV" or "stage 4"
- Definitions not meant for health providers to use in making clinical decisions for individual patients



### **AIDS-Defining Conditions**

- AIDS-defining conditions on slides 6 and 7 come from a government report and contains medical terms
- If you have any questions:
  - Contact an educator at local ASO
  - Call AIDS information line, e.g., Project Inform National HIV/AIDS Treatment Hotline: 800-822-7422
  - Consult <u>The Well Project's fact sheet on AIDS-Defining</u>
    <u>Conditions</u> for links to articles featuring more details



## List of AIDS-Defining Conditions

- Bacterial infections (multiple, recurrent)
  - Only for children <13 years old</li>
- Candidiasis of bronchi, trachea, or lungs
- Candidiasis, esophageal
- Cervical cancer, invasive
  - Only among people ≥13 years old
- Coccidioidomycosis, disseminated or extrapulmonary
- Cryptococcosis, extrapulmonary
- Cryptosporidiosis, chronic intestinal (>1 month)

- CMV disease (other than liver, spleen, or nodes)
  - Beginning when older than one month
- CMV retinitis (with loss of vision)
- Encephalopathy, HIV-related
- Herpes simplex: chronic ulcers (>1 month); bronchitis, pneumonitis, esophagitis
  - Beginning when >1 month old
- Histoplasmosis, disseminated or extrapulmonary
- Isosporiasis, chronic intestinal (>1 month)



## List of AIDS-Defining Conditions

- Kaposi sarcoma
- Lymphoma, Burkitt
- Lymphoma, immunoblastic
- Lymphoma, primary, of brain
- Mycobacterium avium complex or M. kansasii, disseminated or extrapulmonary
- Mycobacterium tuberculosis, of any site, pulmonary (>13 years old), disseminated, extrapulmonary

- Mycobacterium, other species or unidentified species, disseminated or extrapulmonary
- Pneumocystis jirovecii pneumonia (PCP)
- Pneumonia, recurrent (<u>></u>13 years old)
- Progressive multifocal leukoencephalopathy
- Salmonella septicemia, recurrent
- Toxoplasmosis of brain, beginning when >1 month
- Wasting syndrome due to HIV



#### Learn More!

- To learn more about this topic, and for links to articles featuring more details, please read the full fact sheet on this topic:
  - Fact sheet: AIDS-Defining Conditions
- For more fact sheets and to connect to our community of women living with HIV, visit:
  - www.thewellproject.org
  - www.facebook.com/thewellproject
  - www.twitter.com/thewellproject