

Menopause and HIV

Last updated: December 8, 2022

Together, we can change the course of the HIV epidemic...one woman at a time.

#onewomanatatime

#thewellproject

www.thewellproject.org



What Is Menopause?

Menopause: Point in time when a woman's menstrual periods have stopped

- Often called "change of life"
- Menopause is a normal part of a woman's life



www.thewellproject.org



What Is Menopause?

- Perimenopause: time of transition leading up to a woman's final menstrual period
- Women usually experience menopause between ages of 38 and 58; average age is 51
- Some evidence that women living with HIV may experience menopause earlier
- Symptoms may be more intense for women living with HIV, but no definitive proof of this



What Is Menopause?

the well project

- Changes of menopause begin when:
 - Ovaries (female reproductive organs containing eggs) naturally begin to slow down making **estrogen** and **progesterone** (female sex hormones)
- When women *near menopause:*
 - Estrogen levels drop
 - Stop having regular cycles
 - Eventually can no longer get pregnant
- Women have *passed through menopause* when:
 - Body has completed these changes (one to several years)
 - Has not had period for 12 months in a row



Symptoms and Conditions Related to Menopause

During perimenopause, hormone levels rise and fall unevenly. Women may experience:

- Increasingly irregular periods
 - Change in frequency, duration, amount
- Hot flashes, night sweats
- Mood swings
- Depression
- Irritability

- Vaginal dryness
- Forgetfulness
- Trouble sleeping, fatigue
- Lack of sexual desire
- Skin changes including:
 - Thinner skin
 - Wrinkling
 - Acne



- Women living with HIV who experience sweats at night
 - May be misdiagnosed as having menopause-related hot flashes
 - Their sweats may be result of HIV
- Vaginal dryness can be mistaken for a yeast infection
- Keep track of menstrual cycles
 - Report any changes to health care provider
 - Can avoid incorrect diagnosis or hormonal treatments that may not be necessary



Symptoms and Conditions Related to Menopause

- Women living with HIV may experience menstrual cycle changes even if not going through menopause
 - Speak to health care provider if you have any symptoms described above
 - Find out if related to HIV, menopause, or both
 - May be helpful to have hormone levels checked
- *Medical concerns* that can develop after menopause:
 - Osteoporosis (bone loss)
 - Cardiovascular (heart) disease
 - Urinary incontinence (leaking, more frequent urination)



Hormone Replacement Therapy (HRT)

Replacing estrogen a woman's body no longer makes can relieve symptoms of menopause

- Women who have a uterus usually take estrogen with progesterone (hormone replacement therapy, HRT)
 - Used to be recommended, but long-term use now questioned; research shows increased cancer risk
 - May be appropriate for a short time
 - Patches, creams, vaginal rings may not carry same risk
- Women who had uterus removed can take estrogen by itself (estrogen replacement therapy, ERT)



Hormone Replacement Therapy (HRT)

- Talk to provider about HRT
 - Provider needs to know *all* drugs and treatments you take, including over-the-counter and street drugs, herbs, etc.
 - Provider also needs to know whether you smoke cigarettes
- HIV drugs can reduce effectiveness of hormones
 - Includes birth control pills with estrogen and progesterone
- Estrogen can also cause lower levels of HIV drugs
 - Risk for rising viral load, HIV drug resistance
- Women taking HIV drugs have good results using birth control pills and other hormonal contraceptives



Alternative Treatments

the**well**project

- Complementary/alternative therapies for menopausal symptoms:
 - Traditional Chinese Medicine (e.g., acupuncture, Chinese herbs)
 - Eating foods that contain plant-based estrogens (also called phytoestrogens; e.g., soy, flax seeds)
 - Herbal or botanical supplements (e.g., black cohosh, red clover, dong quai, kava, ginseng)
 - Antidepressant drugs and/or counseling
 - Mindfulness training
- Some may have unwanted side effects or interact with HIV drugs
 - Often not regulated by U.S. Food and Drug Administration (FDA)
 - Not required to prove effectiveness in the same way as standard therapies
- Consult skilled practitioner and let regular provider know what you are doing



Keeping Healthy After Menopause

- Eat a healthy diet and maintain a healthy weight
- Have bone health checked; ask provider about specific treatment to prevent bone loss:
 - Calcium supplements
 - FDA recommends women over 50 take <a>>1,200 mg calcium/day
 - Calcium supplements may interfere with certain HIV drugs
 - Speak to your provider before taking them
 - Prescription drugs to prevent bone loss
- Have vitamin D level checked; take supplements as instructed by provider
- Quit or cut down on smoking



Keeping Healthy after Menopause

- Quit drinking or use alcohol moderately
- Be physically active:
 - Aerobic or cardiovascular activity for 30 minutes, 5x/week
 (brisk walking, etc.) can prevent cardiovascular disease
 - Muscle-strengthening activity 2x/week can prevent bone loss
- Mammogram every 1-2 years
- Pelvic exam as often as recommended
 - With cervical cancer screening test (for those with a uterus)
- Get your cholesterol, triglycerides checked regularly
- Get screening test for colon cancer



Taking Care of Yourself

the **well** project

- Menopause may signal the end of a woman's fertility, but *it is not the end of her femininity or sexuality*
 - Some women experience mild, tolerable symptoms
 - Others' symptoms are severe; impact quality of life
- Decisions about treatment options are up to each woman
 - Discuss concerns, questions with provider to weigh risks and benefits



Learn More!

- To learn more, and for links to articles featuring more details, please read the full fact sheet:
 - <u>Menopause and HIV</u>
- For more fact sheets and to connect to our community of women living with HIV, visit:
 - <u>www.thewellproject.org</u>
 - www.facebook.com/thewellproject
 - www.twitter.com/thewellproject