

thewellproject


Undetectable Equals Untransmittable: Building Hope and Ending HIV Stigma

Together, we can change the course of the HIV epidemic...one woman at a time.

#onewomanatatime

www.thewellproject.org

#thewellproject



the**well**project

What Is “U=U”?

When a person living with HIV is taking HIV drugs and their viral load has reached **undetectable** levels (not enough HIV in their bloodstream for a test to measure), that person **cannot transmit HIV to a partner who is HIV-negative**

HIV community members, advocates, and experts refer to this as ***"Undetectable Equals Untransmittable"*** ("**U=U**")



**IT STARTS WITH ME.
I WON'T PASS ON HIV.**

I know that someone doing well on HIV medication can't pass it on. If everybody does their bit we can stop HIV.


Paida



Get tested. Stay protected. Find out how at:
StartsWithMe.org.uk



Produced by Tennace Higgins Trust for HIV PREVENTION ENGLAND.
Tennace Higgins Trust is a registered charity in England and Wales (reg. no. 208527) and in Scotland (SC039906). Company reg. no. 1276149.




the**well**project

Treatment as Prevention (TasP)




- Foundation of U=U
- Refers to ways we can use HIV treatment regimens to ***lower risk of transmitting HIV***
- For people living with HIV (HIV+):
 - Taking HIV drugs can reduce viral load
 - Blood, vaginal fluids, and/or semen (cum) is much less likely to transmit HIV to others
 - Lower viral load = healthier person
 - Mixed-status couples (one partner HIV+, one HIV-) who want to have babies are more likely to safely conceive "the old-fashioned way"



thewellproject

How HIV Treatment Makes U=U


- Chance of transmitting any virus has to do with **amount of virus** (viral load) in body fluids
- HIV drugs prevent virus from **reproducing** (making copies of itself)
- When an HIV treatment regimen works ...
 - HIV is **unable** to reproduce
 - HIV will not infect new cells in your body
 - **Viral load remains low**, which means you are...
 - More likely to have a healthy immune system
 - **Less likely to transmit HIV**



thewellproject

How HIV Treatment Makes U=U

- HIV drugs **cannot cure HIV**
 - Even when viral load is **undetectable**, there are still 'resting' or latent HIV cells in certain areas (**reservoirs**) of your body (e.g., gut, brain, bone marrow)
- ... but having an undetectable viral load means there is **barely a trace of virus** in body fluids that transmit HIV
 - Blood, vaginal fluids, semen




the**well**project

The Research Behind U=U

The "Swiss Consensus Statement" (2008)

- Group of HIV care providers in Switzerland produced a paper aimed at other doctors in their country
- Agreed that an HIV+ person who had had an undetectable viral load for at least 6 months on HIV treatment had a **negligible risk** (so small or unimportant that it is not worth considering) of transmitting HIV
 - Based on new data and their patients' experiences




the**well**project

The Research Behind U=U

HPTN 052 (2011)


- Large study – more than 1,000 mostly heterosexual, mixed-status couples
- Showed that partners living with HIV and taking HIV treatment could reduce chance that their HIV-negative partners would acquire HIV by up to 96%
- ***Only 3 cases*** of HIV transmission in study group
 - In each case, partner living with HIV had detectable viral load
 - Their HIV drugs had not yet started working properly, or had stopped working



the**well**project

The Research Behind U=U

- HPTN 052 ***changed HIV prevention***
 - Put an additional tool – treatment for people living with HIV – in prevention toolbox
- However, ***information not well known or understood*** outside of HIV advocate and expert circles
 - Mainstream media accounts of this news was often confusing, misleading, loaded with HIV stigma
- Many ***people living with HIV were not aware*** of this exciting development




the**well**project

The Research Behind U=U

PARTNER (2016)

- Looked at HIV transmission risk in heterosexual and gay mixed-status couples
 - Partners living with HIV took HIV treatment, had undetectable viral loads
- After **58,000 instances of sex**, among 1,166 couples who were **not using condoms**, ***zero cases of HIV acquisition***
 - Still confusion, misinformation, silence around topic



the**well**project

The U=U Campaign

- Launched by health equity program [Prevention Access Campaign](#) (PAC) in early 2016
- A project **led by people living with HIV**
- Unites global community of HIV advocates, activists, researchers, community partners
- Mission is to share the fact that ***people living with HIV, who are on effective HIV treatment, do not transmit HIV when they have sex***
- **Tags for social media**
 - #UequalsU
 - #ScienceNotStigma



If your viral load is undetectable, it means you can't pass HIV to others. Treatment = Prevention! on.nyc.gov/staysure #PlaySure #TasP



UNDETECTABLE = UNTRANSMITTABLE
НЕДЕТЕКТАБИЛНО = НЕПРЕНОСИВО

ЗАЕДНІЦЬКО ЗДРУЖЕННЯ ЗА ПОДАРОЖКА НА ЛУБЕГО ЖИВІТЬ СІ КІВ - ЗАДНО ПОСІЛНИ СТОІТЬ

U=U
Undetectable = Untransmittable
non rilevabile = non trasmissibile
#UequalsU

U=U
UNDETECTABLE = UNTRANSMITTABLE
A PERSON LIVING WITH HIV WHO HAS AN UNDETECTABLE VIRAL LOAD DOES NOT TRANSMIT THE VIRUS TO THEIR PARTNERS.

The International AIDS Society is proud to endorse the U=U consensus statement of the Prevention Access Campaign.



INDETECTABLE SIGNIFICA INTRANSMISIBILE
the well project
UNDETECTABLE EQUALS UNTRANSMITTABLE



IT STARTS WITH ME I WON'T PASS ON HIV
I know that someone always will so I've made sure I pass it on. If anything else that'll be our story.

U=U
UNDETECTABLE MEANS UNINFECTIOUS
[+U] BODY POSITIVO
UNDETECTABLES

IA S
SAN FRANCISCO FOUNDATION
NEWS & EVENTS HIV INFO
Risk Testing
getting your viral load down to undetectable also helps prevent new infections. Studies show that people living with HIV who are on treatment and have a suppressed viral load do not transmit HIV to HIV-negative sex partners. In other words, if you are living with HIV and are an undetectable viral load, you don't have to worry about passing HIV to your sex partners. For many people, being undetectable offers a renewed sense of freedom, brings less anxiety around sex, and reduces stigma associated with HIV.

San Francisco AIDS Foundation supports the Undetectable = Untransmittable message by Prevention Access Campaign. Read more about the initiative.

U=U
#LOVE POSITIVE
exaequo
AIDES

NIET DETECTEERBAAR
BETEKENT
NIET OVERDRAAGBAAR
n=n

An undetectable viral load means we can't pass HIV to our partners.
undetectable = untransmittable
i i i i i

HOUSINGWORKS
HOW DO YOU BECOME UNDETECTABLE?
You don't need to be a superhero to do something powerful for yourself and your community.
By regularly taking the right medicine, you can lower the amount of virus in your blood (also your viral load) to become undetectable. A low viral load is a good thing!
UNDETECTABLE = UNTRANSMITTABLE!
People who are undetectable cannot transmit the virus to others, unless they're undetectable, you both protect your own health and prevent new HIV infections. And many experts agree!
This doesn't mean you no longer have HIV—it means that by continuing your plan of treatment, you can live with HIV by managing your health on your own terms.

PEOPLE WITH HIV ON EFFECTIVE TREATMENT DO NOT SEXUALLY TRANSMIT HIV
ACT UP
UNDETECTABLE = UNTRANSMITTABLE
DUBLIN



nam aidsmap
HIV & AIDS - sharing knowledge, changing lives.

"The scientific evidence is clear. Someone whose HIV is undetectable does not pose an infection risk to their sexual partners."


For information on HIV you can rely on: www.aidsmap.com

nyc nycHealthy @nycHealthy
If your viral load is undetectable means you can't pass HIV to your partners.
Treatment = Prevention!
staysure #PlaySure #Tas



Podporujemo!
U=U
UNDETECTABLE UNTRANSMITTABLE


HIV BELIRLENIYORSA BULAŞTIRILAMAZ, MI?
U=U
UNDETECTABLE UNTRANSMITTABLE
AIDS CARES FOR AIDS



the**well**project

Community and Medical Experts Agree

- 2016: U=U campaign released first-ever **global consensus statement** confirming science behind U=U
- >650 partners comprised of HIV experts, advocacy groups, service organizations, departments of health from 80 countries have endorsed U=U message (as of 5/21/18)
- Statement translated into 11 languages (as of 7/11/17)
 - The Well Project proudly endorsed consensus statement in April 2017
- Partners share info on ways that work for their communities
- Part of a strategy to break down HIV **stigma**; provide **hope**; **improve** lives of people living with HIV; move closer to ending HIV as a worldwide epidemic




the**well**project

Why Didn't I Know About This?

Shifts in attitudes, beliefs, behaviors take time

- For decades, condom use held up as only sure way to stop spread of HIV
- Condom use often encouraged through campaigns and activities based on fear of contact with HIV
- Undetectable viral load as a barrier to HIV transmission has been a difficult message for many to accept
- STIs and unwanted pregnancies remain important issues
 - Condoms prevent these; HIV treatment as prevention does not




thewellproject

Why Didn't I Know About This?

Intersectional forms of stigma affect whether U=U message is delivered

- People living with or vulnerable to HIV are often the same people whose sexuality carries stigma and judgment
 - E.g., transgender people, women of color, older women, young women, people living in poverty
 - Freedom to enjoy their sexual lives is often limited, not celebrated
 - Recognizing that TasP can make them unlikely to transmit the virus to their partners may help with stigma and judgment
- Recent study found that almost 40% of women studied had not been told about U=U by providers
- In another study, participants vastly overestimated their own transmission risk




the**well**project

Important U=U Issues for Women

Relationship Power Dynamics

- Part of how HIV epidemic continues to flourish among women globally
 - Women often cannot demand that their partners use condoms due to uneven power dynamics, fear of violence
 - Women may also be unable to ask about their partners' treatment status or viral load
 - Partners may not honor a woman's request to use condoms or other barriers based on their undetectable viral load
- ***More research and insight is needed*** into ways partner power dynamics may affect U=U for women




thewellproject

Important U=U Issues for Women

Breastfeeding

- While HIV treatment can decrease HIV transmission through breast milk, there may still be some risk
 - Having undetectable viral load in blood may not guarantee undetectable viral load in breast milk
 - Other factors that affect HIV transmission through breastfeeding
 - E.g., **mastitis** (breast infection that can occur in breastfeeding mothers) can increase viral load before a woman knows she has it
 - In places without refrigeration or safe water, the risk from formula feeding with unsafe water – and the immune benefits of breastfeeding – may outweigh HIV risk




thewellproject

Important U=U Issues for Women

Breastfeeding

- In high-resource areas with safe water, breastfeeding isn't recommended for women living with HIV
 - Experts on HIV and women's health divided as to whether or not this should be the case in U=U era
- Some providers suggest:
 - That women be given all information to make their own choice
 - Be supported to continue taking their HIV treatment
 - Be counseled on reducing potential harms of breastfeeding if they choose to do so




thewellproject

Important U=U Issues for Women

HIV Criminalization

- As of April 2016, 72 countries and >30 U.S. states had laws making it a crime for a person living with HIV to do things (e.g., consensual sex) that are not crimes for HIV-people
- These laws build HIV stigma and discrimination into the legal system
- Do not take into account the realities of living with HIV in the era of U=U
 - U=U does not yet change status of existing laws




thewellproject

Important U=U Issues for Women

HIV Criminalization


- In opposing these laws, it is important not to stigmatize or criminalize those who have detectable viral loads
- Women, especially, may have a harder time getting their viral loads to undetectable, for reasons including:
 - Being more likely to be diagnosed later in life than men
 - Prioritizing the health of others over their own
 - Higher rates of violence, poverty and instability that comes with these social determinants of health, which can make it hard to be consistent with medication
- ***Criminalizing people based on HIV status is never appropriate, regardless of viral load***



thewellproject

The Bottom Line

- Increasing awareness that having an undetectable viral load means that people living with HIV will not transmit the virus can have a ***dramatic impact on public and personal views of HIV***
- HIV stigma = biggest barrier to ending HIV epidemic
 - Stigma must also be removed from HIV testing
- Important to break down stigma wherever possible by providing access to information, community support, advocacy -- all of which build **hope**
- U=U has the potential to address all kinds of HIV stigma




thewellproject

The Bottom Line

While researchers must continue to examine promise and impact of treatment as prevention, ***the science that is currently available strongly supports U=U***


We need to make sure that ***all people living with HIV, or vulnerable to becoming HIV+, have access to this life-altering information***, so that they can make informed decisions about their own sexual health and lives



thewellproject

Learn More!

- To learn more about this topic, and for links to articles featuring more details, please read the full fact sheet on this topic:
 - [Undetectable Equals Untransmittable: Building Hope and Ending HIV](#)
- Visit [Prevention Access Campaign](#) **#UequalsU**
- For more fact sheets and to connect to our community of women living with HIV, visit:
 - www.thewellproject.org
 - www.facebook.com/thewellproject
 - www.twitter.com/thewellproject



thewellproject

Additional Resources

- [U=U: Undetectable = Untransmittable](#) (Video)
– *from Prevention Access Campaign*
- [If I Am Undetectable I Can't Transmit the HIV Virus](#) (Video Blog)
– *by Maria T. Mejia*
- [HIV Undetectable = Untransmittable: Interview With Bruce Richman](#)
– *by Nelson Vergel, from Program for Wellness Restoration*
- [Infant Feeding Basics: For Women Living with HIV in the US](#) (PDF)
– *from HIVE*
- [If We Act to Remove Structural, Behavioral and Social Barriers, We Can End the HIV Epidemic With the Medicines We Already Have: A Conversation With Dr. Ben Young](#)
– *by Olivia G. Ford, from TheBodyPRO.com*
- [Why, for HIV, Undetectable = Untransmittable](#)
– *by Roger Pebody, from TheBody.com*