

## Undetectable Equals Untransmittable: Building Hope and Ending HIV Stigma

Last updated: August 21, 2023

Together, we can change the course of the HIV epidemic...one woman at a time.

#onewomanatatime

#thewellproject

www.thewellproject.org



## What Is "U=U"?

When a person living with HIV is actively taking HIV drugs and their viral load has reached **undetectable** levels (< 200 copies/mL), that person *cannot transmit HIV to a sexual partner who is HIVnegative* 

HIV community members, advocates, and experts refer to this as *"Undetectable Equals Untransmittable" ("U=U")* 





Get tested. Stay protected. Find out how at: StartsWithMe.org.uk

Produced by Terrance Higgins Trust is: HIV PREVENTION ENGLAND.

## the**well**project

## Treatment as Prevention (TasP)



- Foundation of U=U
- Ways we can use HIV treatment regimens to *lower risk of transmitting HIV*
  - Mixed-status couples can safely conceive
    - TasP for partner living with HIV
    - PrEP for HIV-negative partner
  - 1990s: discovery of using HIV drugs to prevent transmission during pregnancy
- 2011: HPTN 052 study
- 2016: Prevention Access Campaign launches U=U campaign



## How HIV Treatment Makes U=U

- Chance of transmitting any virus has to do with amount of virus (viral load) in body fluids
- HIV drugs prevent virus from reproducing (making copies of itself)
- When an HIV treatment regimen works ...
  - HIV is **unable** to reproduce
  - HIV will not infect new cells in body
  - Viral load remains low, which means you are...
    - More likely to have a healthy immune system
    - Less likely to transmit HIV



## How HIV Treatment Makes U=U

- HIV drugs cannot cure HIV
  - Even when viral load is undetectable, there are still 'resting' or latent HIV cells in certain areas (reservoirs) of your body
- ... but having an undetectable viral load means there is barely a trace of virus in body fluids that transmit HIV
  - Blood, vaginal fluids, semen
  - Breast milk will be discussed later



#### The "Swiss Consensus Statement" (2008)

- Group of HIV care providers in Switzerland produced a paper aimed at other doctors in their country
- Agreed that an HIV+ person who had had an undetectable viral load for at least 6 months on HIV treatment had a **negligible risk** (so small or unimportant that it is not worth considering) of transmitting HIV
  - Based on new data and their patients' experiences



#### HPTN 052 (2011)

- Large study more than 1,000 mostly heterosexual, mixed-status couples
- Only 3 cases of HIV transmission in study group
  - In each case, partner living with HIV had detectable viral load
  - Their HIV drugs had not yet started working properly, or had stopped working



- HPTN 052 *changed HIV prevention* 
  - Put an additional tool treatment for people living with HIV in prevention toolbox
- However, *information not well known or understood* outside of HIV advocate and expert circles
  - Mainstream media accounts of this news was often confusing, misleading, loaded with HIV stigma
- Many *people living with HIV were not aware* of this exciting development



#### HPTN 052

- More than 1,000 mixed-status couples
- Very few transmissions when partner not undetectable **PARTNER**
- Heterosexual and gay mixed-status couples
  - Partners living with HIV on treatment and undetectable
- After 58,000 instances of sex among 1,166 couples who were not using condoms, no HIV acquisition

Still confusion, misinformation, silence around topic

# OpenationCommunity and MedicalthewellprojectExperts Agree

- 2016: U=U campaign released first-ever global consensus statement confirming science behind U=U
- Many organizations have endorsed U=U message
  - The Well Project proudly endorsed consensus statement in April 2017
- Community partners share information in ways that work for their communities
- Part of a strategy to break down HIV stigma; provide hope; improve lives of people living with HIV; move closer to ending HIV as a worldwide epidemic



www.thewellproject.org



the**well**project

## Why Didn't I Know About This?

Shifts in attitudes, beliefs, behaviors take time

- For decades, condom use held up as only sure way to stop spread of HIV
- Condom use often encouraged through campaigns and activities based on fear of contact with HIV
- Undetectable viral load as a barrier to HIV transmission has been a difficult message for many to accept
- STIs and unwanted pregnancies remain important issues
  - Condoms prevent these; HIV treatment as prevention does not



## Why Didn't I Know About This?

**Intersectional** forms of stigma affect whether U=U message is delivered

- People living with or vulnerable to acquiring HIV are often the same people whose sexuality carries stigma and judgment
  - E.g., transgender people, women of color, older women, young women, people living in poverty
  - Recognizing that TasP can make them unlikely to transmit the virus to their partners may help with stigma and judgment
  - Studies: women living with HIV not told about U=U, people living with HIV overestimate their risk of transmitting HIV
- U=U founder Bruce Richman:
  - Women living with HIV are leading the way



#### **Relationship Power Dynamics**

- Part of how HIV epidemic is flourishing among women
  - Women may not be able to demand that their partners use condoms due to uneven power dynamics, fear of violence
  - Women may be unable to ask about their partners' treatment status or viral load
    - Partners may not honor a woman's request to use condoms or other barriers, claiming they have an undetectable viral load
- *Need more research* into power dynamics and U=U
- Need **woman-controlled prevention** methods



#### Breastfeeding

the**well**project

- While HIV treatment can decrease HIV transmission through breast milk, there may still be some risk
  - Having undetectable viral load in blood may not guarantee undetectable viral load in breast milk
  - In places without refrigeration or safe water, the risk from formula feeding with unsafe water – and the immune benefits of breastfeeding – may outweigh HIV risk



#### Breastfeeding

- In high-resource areas with safe water, breastfeeding isn't recommended for women living with HIV
  - Experts divided about this in U=U era
  - Not everyone has access to safe water and affordable formula
- Some providers suggest:
  - That women be given all information to make their own choice
  - Be supported to continue taking their HIV treatment
  - Be counseled on reducing potential harms of breastfeeding if they choose to breastfeed



#### **HIV Criminalization**

- Many countries and U.S. states have laws making it a crime for a person living with HIV to do things (e.g., consensual sex) that are not crimes for HIV- people
- These laws build HIV stigma and discrimination into the legal system
- Do not take into account the realities of living with HIV in the era of U=U
  - U=U has not yet changed status of existing laws



#### **HIV Criminalization**

- In opposing these laws, it is important not to stigmatize or criminalize those who have detectable viral loads
- Women, especially, may have a harder time getting their viral loads to undetectable, for reasons including:
  - Being more likely to be diagnosed later in life than men
  - Prioritizing the health of others over their own
  - Higher rates of violence, poverty and instability that comes with these social determinants of health
- Criminalizing people based on HIV status is never appropriate, regardless of viral load



## The Bottom Line

- Increasing awareness that having an undetectable viral load means that people living with HIV will not transmit the virus can have a *dramatic impact on public and personal views of HIV*
- HIV stigma = biggest barrier to ending HIV epidemic
  - Stigma must also be removed from HIV testing
- Important to break down stigma by providing access to information, community support, advocacy -- all of which build hope
- U=U has the potential to address all kinds of HIV stigma



#### The Bottom Line

While researchers must continue to examine promise and impact of treatment as prevention, the science that is currently available strongly supports U=U

We need to make sure that *all people living with HIV, or vulnerable to acquiring HIV, have access to this information*, so that they can make informed decisions about their own sexual health and lives



the well project

#### Learn More!

- To learn more about this topic, and for links to articles featuring more details, please read the full fact sheet on this topic:
  - <u>Undetectable Equals Untransmittable: Building Hope</u> and Ending HIV
- Visit <u>Prevention Access Campaign</u> #UequalsU
- For more fact sheets and to connect to our community of women living with HIV, visit:
  - <u>www.thewellproject.org</u>
  - <u>www.facebook.com/thewellproject</u>
  - <u>www.twitter.com/thewellproject</u>



## **Additional Resources**

• <u>#PWNCares 2: Undetectable = Untransmittable (Video)</u>

- by Positive Women's Network - USA

• If I Am Undetectable I Can't Transmit the HIV Virus (Video Blog)

– by Maria T. Mejia

Infant Feeding Basics: For Women Living with HIV in the US (PDF)

- from HIVE

• <u>Why, for HIV, Undetectable = Untransmittable</u>

- by Roger Pebody, from TheBody.com